

PR L Breed PB Banana

Batch ID:	122982 23:19	Test ID:	T000119286
Type:	Edible	Submitted:	01/15/2021 @ 09:37 AM
Test:	Microbial Contaminants	Started:	1/15/2021
Method:	TM24, TM25, TM26, TM27, TM28	Reported:	1/18/2021

MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
E. coli	Absent
E. coli (STEC)	None Detected
Salmonella	None Detected

* CFU/g = Colony Forming Unit per Gram

** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU


NOTES:

Free from visual mold, mildew, and foreign matter
 TYM: None Detected
 Total Aerobic: None Detected
 Coliforms: None Detected




A Meza

04:01 pm, 03/24/2021

FINAL APPROVAL


Tori King
 18-Jan-2021
 12:00 PM

PREPARED BY / DATE



Ben Minton
 18-Jan-2021
 3:40 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03