

# CERTIFICATE OF ANALYSIS

prepared for: PET RELEAF

8100 Southpark Way A3 Littleton, CO 80120

#### PR L Breed Sushi

| Batch ID: | 124911 15:44                 | Test ID:   | T000121900            |
|-----------|------------------------------|------------|-----------------------|
| Type:     | Edible                       | Submitted: | 02/01/2021 @ 08:55 AM |
| Test:     | Microbial Contaminants       | Started:   | 2/2/2021              |
| Method:   | TM24, TM25, TM26, TM27, TM28 | Reported:  | 2/5/2021              |
|           |                              |            |                       |

# MICROBIAL CONTAMINANTS

| Contaminant             | Result (CFU/g)* |  |
|-------------------------|-----------------|--|
| Total Aerobic Count**   | BLOQ            |  |
| Total Coliforms**       | None Detected   |  |
| Total Yeast and Molds** | None Detected   |  |
| E. coli                 | Absent          |  |
| E. coli (STEC)          | None Detected   |  |
| Salmonella              | None Detected   |  |

<sup>\*</sup> CFU/g = Colony Forming Unit per Gram

Examples: 10^2 = 100 CFU

10<sup>3</sup> = 1,000 CFU 10<sup>4</sup> = 10,000 CFU 10<sup>5</sup> = 100,000 CFU

#### NOTES:

Free from visual mold, mildew, and foreign matter

TYM: None Detected

Total Aerobic: BLOQ | Below limit of quantitation

Coliforms: None Detected



### FINAL APPROVAL

Vally Ctes

Tori King 5-Feb-2021 5:03 PM An Bil

Greg Zimpfer 5-Feb-2021 5:22 PM

PREPARED BY / DATE APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.





Certificate #4329.03

<sup>\*\*</sup> Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.