

**PR S/M Breed PB Carob**

<b>Batch ID:</b>	122991 21:09	<b>Test ID:</b>	T000119284
<b>Type:</b>	Edible	<b>Submitted:</b>	01/15/2021 @ 09:37 AM
<b>Test:</b>	Microbial Contaminants	<b>Started:</b>	1/15/2021
<b>Method:</b>	TM24, TM25, TM26, TM27, TM28	<b>Reported:</b>	1/18/2021

**MICROBIAL CONTAMINANTS**

Contaminant	Result (CFU/g)*
<b>Total Aerobic Count**</b>	None Detected
<b>Total Coliforms**</b>	None Detected
<b>Total Yeast and Molds**</b>	None Detected
<b>E. coli</b>	Absent
<b>E. coli (STEC)</b>	None Detected
<b>Salmonella</b>	None Detected

\* CFU/g = Colony Forming Unit per Gram

\*\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples:  $10^2 = 100$  CFU  
 $10^3 = 1,000$  CFU  
 $10^4 = 10,000$  CFU  
 $10^5 = 100,000$  CFU


**NOTES:**

Free from visual mold, mildew, and foreign matter  
 TYM: None Detected  
 Total Aerobic: None Detected  
 Coliforms: None Detected




A. Meza

10:23 am, 03/29/2021

**FINAL APPROVAL**


Tori King  
 18-Jan-2021  
 12:00 PM

PREPARED BY / DATE



Ben Minton  
 18-Jan-2021  
 3:40 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03