Official Compliance: Colorado



CERTIFICATE OF ANALYSIS

Prepared for: Pet Releaf

8100 Southpark Way #A3 Littleton, CO USA 80120

Daily Releaf Capsules 15mg CBD

Batch ID or Lot Number: 210312254	Test: Potency	Reported: 21Sep2022	USDA License: N/A
Matrix:	Test ID:	Started:	Sampler ID:
Unit	T000222208	21Sep2022	N/A
	Method(s):	Received:	Status:
	TM14 (HPLC-DAD): Potency – Standard Cannabinoid Analysis	21Sep2022	Active

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.058	0.087	0.31	# of Servings = 1
Cannabichromenic Acid (CBCA)	0.017	0.053	ND	ND	Sample
Cannabidiol (CBD)	0.050	0.163	15.475	55.07	Weight=0.281g
Cannabidiolic Acid (CBDA)	0.051	0.168	ND	ND	
Cannabidivarin (CBDV)	0.012	0.039	0.175	0.62	
Cannabidivarinic Acid (CBDVA)	0.021	0.070	ND	ND	
Cannabigerol (CBG)	0.010	0.033	0.177	0.63	
Cannabigerolic Acid (CBGA)	0.043	0.139	ND	ND	
Cannabinol (CBN)	0.013	0.043	0.542	1.93	
Cannabinolic Acid (CBNA)	0.029	0.095	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.051	0.165	<loq< td=""><td>0.21</td><td></td></loq<>	0.21	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.046	0.150	0.074	0.26	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.041	0.133	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.030	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.036	0.117	ND	ND	
Total Cannabinoids			16.589	59.04	
Total Potential THC			0.074	0.26	
Total Potential CBD			15.475	55.07	

Final Approval

Emantha mo

Sam Smith 21Sep2022 03:39:00 PM MDT

APPROVED BY / DATE

Daniel Weidensaul 21Sep2022 03:44:00 PM MDT

PREPARED BY / DATE

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



SC Laboratories, Inc. | © All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.sclabs.com



CERTIFICATE OF ANALYSIS

Prepared for:

Pet Releaf

8100 Southpark Way #A3 Littleton, CO USA 80120

Daily Releaf	Capsules	15mg CBD
--------------	----------	----------

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 2 of 6
210312254	Various	Concentrate	
Reported:	Started:	Received:	
14Sep2022	14Sep2022	14Sep2022	

Residual Solvents -Colorado Compliance

Test ID: T000220784 Methods: TM04 (GC-MS): Residual			
Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	93 - 1860	ND	
Butanes (lsobutane, n-Butane)	196 - 3916	ND	
Methanol	61 - 1212	ND	
Pentane	102 - 2048	ND	
Ethanol	103 - 2053	ND	
Acetone	102 - 2047	ND	
lsopropyl Alcohol	106 - 2114	ND	
Hexane	6 - 125	ND	
Ethyl Acetate	103 - 2070	ND	
Benzene	0.2 - 4.0	ND	
Heptanes	102 - 2046	ND	
Toluene	18 - 361	ND	
Xylenes (m,p,o-Xylenes)	132 - 2646	ND	

Final Approval

Daniel Westerna

Daniel Weidensaul 16Sep2022 03:43:00 PM MDT



Jacob Miller 16Sep2022 03:44:00 PM MDT

PREPARED BY / DATE

APPROVED BY / DATE



CERTIFICATE OF ANALYSIS

Prepared for:

Pet Releaf

8100 Southpark Way #A3

Test, Test ID ar Various Started: 14Sep2022 Method TM26, pial Method TM25: PCR TM25: PCR TM25: PCR TM24: Culture Plating TM26: Culture Plating	LOD 10 ⁰ CFU/25g 10 ⁰ CFU/25g 10 ¹ CFU/g	Matrix: Concentrate Received: 14Sep2022 Quantitation Range NA NA NA 1.0x10 ² - 1.5x10 ⁴	Result Absent Absent	Page 3 of 6 Notes Free from visual mold, mildew, and foreign matter
14Sep2022 TM26, bial Method TM25: PCR TM25: PCR TM24: Culture Plating TM26: Culture Plating	10 ⁰ CFU/25g 10 ⁰ CFU/25g 10 ¹ CFU/g	14Sep2022 Quantitation Range NA NA 1.0x10 ² - 1.5x10 ⁴	Absent Absent	Free from visual mold, mildew, and
TM26, pial Method TM25: PCR TM25: PCR TM24: Culture Plating TM26: Culture Plating	10 ⁰ CFU/25g 10 ⁰ CFU/25g 10 ¹ CFU/g	Range NA NA 1.0x10 ² - 1.5x10 ⁴	Absent Absent	Free from visual mold, mildew, and
TM26, pial Method TM25: PCR TM25: PCR TM24: Culture Plating TM26: Culture Plating	10 ⁰ CFU/25g 10 ⁰ CFU/25g 10 ¹ CFU/g	Range NA NA 1.0x10 ² - 1.5x10 ⁴	Absent Absent	Free from visual mold, mildew, and
TM25: PCR TM24: Culture Plating TM26: Culture Plating	10 ⁰ CFU/25g	NA 1.0x10 ² - 1.5x10 ⁴	Absent	
TM24: Culture Plating TM26: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴		
Plating TM26: Culture Plating	10' CFU/g		<lu>LLOQ</lu>	_
Plating	10 ² CFU/g			
TM27. Cultura		1.0x10 ³ - 1.5x10 ⁵	3.6x10^3 CFU/g	
Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
AM MDI	least Tedur PPROVED BY / DATE	Brett Hudson 19Sep2022 10:14:00 AM MDT		
nce vy				
	ge (ppm)			Notes
				_
0.04 - 4.11		0.24		_
				-
	0	Courtney Richards 19Sep2022 04:43:00 PM MDT		
	M MDT Al CCE y Dynamic Ran 0.04 - 4.48 0.04 - 4.42 0.04 - 4.42 0.04 - 4.11 (densaul 2 M MDT	APPROVED BY / DATE CC y Dynamic Range (ppm) 0.04 - 4.48 0.04 - 4.39 0.04 - 4.42 0.04 - 4.11 densaul	MMDI 10:14:00 AM MDI APPROVED BY / DATE CCC y Dynamic Range (ppm) Result (ppm) 0.04 - 4.48 0.27 0.04 - 4.39 ND 0.04 - 4.42 ND 0.04 - 4.11 0.24 Idensaul Curity Licholds 195ep2022 04:43:00 PM MDT	M MDI 10:14:00 AM MDI APPROVED BY / DATE CCC y Dynamic Range (ppm) Result (ppm) 0.04 - 4.48 0.27 0.04 - 4.39 ND 0.04 - 4.42 ND 0.04 - 4.11 0.24



CERTIFICATE OF ANALYSIS

Prepared for:

Pet Releaf

8100 Southpark Way #A3 Littleton, CO USA 80120

Daily Releaf Capsules 15mg CBD

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 4 of 6
210312254	Various	Concentrate	
Reported:	Started:	Received:	
14Sep2022	14Sep2022	14Sep2022	

Mycotoxins - Colorado Compliance

compliance	
Test ID: T000220785	

Methods: TM18 (UHPLC-QQQ			
LCMS/MS): Mycotoxins	Dynamic Range (ppb)	Result (ppb)	Notes
Ochratoxin A	1.53 - 118.09	ND	N/A
Aflatoxin B1	0.90 - 29.08	ND	
Aflatoxin B2	0.90 - 29.57	ND	
Aflatoxin G1	0.90 - 29.49	ND	
Aflatoxin G2	0.95 - 29.69	ND	
Total Aflatoxins (B1, B2, G1, and (G2)	ND	

Final Approval



Jacob Miller 20Sep2022 02:10:00 PM MDT Sam Smith 20Sep2022 02:14:00 PM MDT

APPROVED BY / DATE

PREPARED BY / DATE

PM MDT



Daily Releaf Capsules 15mg CBD

CERTIFICATE OF ANALYSIS

Prepared for:

Pet Releaf

8100 Southpark Way #A3 Littleton, CO USA 80120

Batch ID or Lot Number: 210312254	Test, Test ID and Methods: Various	Matrix: Concentrate	Page 5 of 6	
Reported: 14Sep2022	Started: 14Sep2022	Received: 14Sep2022		

Pesticides

Test ID: T000220781

Methods: TM17		
(LC-QQ LC MS/MS)	Dynamic Range (ppb)	Result (ppb)
Abamectin	258 - 2651	ND
Acephate	41 - 2780	ND
Acetamiprid	42 - 2800	ND
Azoxystrobin	44 - 2702	ND
Bifenazate	43 - 2728	ND
Boscalid	44 - 2674	ND
Carbaryl	40 - 2751	ND
Carbofuran	41 - 2750	ND
Chlorantraniliprole	40 - 2738	ND
Chlorpyrifos	53 - 2720	ND
Clofentezine	265 - 2842	ND
Diazinon	289 - 2768	ND
Dichlorvos	280 - 2808	ND
Dimethoate	40 - 2769	ND
E-Fenpyroximate	276 - 2826	ND
Etofenprox	41 - 2718	ND
Etoxazole	295 - 2706	ND
Fenoxycarb	42 - 2728	ND
Fipronil	47 - 2871	ND
Flonicamid	46 - 2847	ND
Fludioxonil	282 - 2772	ND
Hexythiazox	38 - 2755	ND
Imazalil	278 - 2773	ND
Imidacloprid	41 - 2785	ND
Kresoxim-methyl	47 - 2752	ND

	Dynamic Range (ppb)	Result (ppb)
Malathion	295 - 2731	ND
Metalaxyl	42 - 2738	ND
Methiocarb	43 - 2695	ND
Methomyl	36 - 2719	ND
MGK 264 1	164 - 1670	ND
MGK 264 2	107 - 1143	ND
Myclobutanil	48 - 2724	ND
Naled	46 - 2803	ND
Oxamyl	34 - 2711	ND
Paclobutrazol	41 - 2799	ND
Permethrin	274 - 2767	ND
Phosmet	43 - 2732	ND
Prophos	284 - 2688	ND
Propoxur	41 - 2754	ND
Pyridaben	292 - 2737	ND
Spinosad A	33 - 2247	ND
Spinosad D	46 - 491	ND
Spiromesifen	276 - 2718	ND
Spirotetramat	280 - 2764	ND
Spiroxamine 1	18 - 1156	ND
Spiroxamine 2	25 - 1554	ND
Tebuconazole	275 - 2863	ND
Thiacloprid	40 - 2786	ND
Thiamethoxam	39 - 2797	ND
Trifloxystrobin	43 - 2770	ND

Final Approval

Sam Smith 21Sep2022 03:18:00 PM MDT PREPARED BY / DATE

Danuel Westersand

APPROVED BY / DATE

Daniel Weidensaul 21Sep2022 03:21:00 PM MDT



Justin Thomson 10/04/2022 NPD Quality Manager



Daily Releaf Capsules 15mg CBD

CERTIFICATE OF ANALYSIS

Prepared for:

Pet Releaf

8100 Southpark Way #A3 Littleton, CO USA 80120

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 6 of 6
210312254	Various	Concentrate	
Reported:	Started:	Received:	
14Sep2022	14Sep2022	14Sep2022	

Definitions

LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = (CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or – the measurement uncertainty. Total Potential THC is calculated by dynamic range of the method) during decarboxylation step. Total THC = THC + (THCa *(0.877)). ALOQ = Above Limit of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10^2 = 100 CFU, 10^3 = 1,000 CFU, 10^4 = 10,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit A2LA for more details.



e33e1c5f80754132aca05ebe399d5321.1