

Prepared for:
Pet Releaf

PR Small PB Banana

Batch ID or Lot Number: 139719	Test: Potency	Reported: 01Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000225935	Started: 29Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Oct2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.147	0.458	<LOQ	<LOQ	# of Servings = 1, Sample Weight=8.637g
Cannabichromenic Acid (CBCA)	0.135	0.419	ND	ND	
Cannabidiol (CBD)	0.417	1.332	3.930	0.50	
Cannabidiolic Acid (CBDA)	0.428	1.366	ND	ND	
Cannabidivarin (CBDV)	0.099	0.315	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.179	0.570	ND	ND	
Cannabigerol (CBG)	0.084	0.260	ND	ND	
Cannabigerolic Acid (CBGA)	0.349	1.087	ND	ND	
Cannabinol (CBN)	0.109	0.339	ND	ND	
Cannabinolic Acid (CBNA)	0.238	0.742	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.416	1.295	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.378	1.176	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.335	1.042	ND	ND	
Tetrahydrocannabivarin (THCV)	0.076	0.237	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.295	0.919	ND	ND	
Total Cannabinoids			3.930	0.50	
Total Potential THC			ND	ND	
Total Potential CBD			3.930	0.50	


APPROVED: Richie Bryan QA/QC 1/30/2023

Final Approval



Karen Winternheimer
01Nov2022
09:53:00 AM MDT

PREPARED BY / DATE



Sam Smith
01Nov2022
09:56:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e99bf20c-b4a5-4ca2-af12-1bf91f255144>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
e99bf20cb4a54ca2af121bf91f255144.1