

Prepared for:
PET RELEASE

8100 SOUTH PARK WAY A3
LITTLETON, CO USA 80120

PR S Breed PB Banana

Batch ID or Lot Number: Lot:139728	Test: Potency	Reported: 03Oct2022	USDA License: N/A
Matrix: Unit	Test ID: T000223029	Started: 29Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.169	0.518	0.180	0.00	# of Servings = 1, Sample Weight=7.566g
Cannabichromenic Acid (CBCA)	0.154	0.474	ND	ND	
Cannabidiol (CBD)	0.493	1.256	3.820	0.50	
Cannabidiolic Acid (CBDA)	0.506	1.288	ND	ND	
Cannabidivarin (CBDV)	0.117	0.297	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.211	0.537	ND	ND	
Cannabigerol (CBG)	0.096	0.294	ND	ND	
Cannabigerolic Acid (CBGA)	0.400	1.229	ND	ND	
Cannabinol (CBN)	0.125	0.384	ND	ND	
Cannabinolic Acid (CBNA)	0.273	0.839	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.477	1.465	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.433	1.330	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.383	1.178	ND	ND	
Tetrahydrocannabivarin (THCV)	0.087	0.267	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.338	1.039	ND	ND	
Total Cannabinoids			4.000	0.53	
Total Potential THC			ND	ND	
Total Potential CBD			3.820	0.50	

Final Approval



Daniel Weidensaul
03Oct2022
03:09:00 PM MDT

PREPARED BY / DATE



Sam Smith
03Oct2022
03:10:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f2a0cab9-f444-4221-8980-5f995d11c2dd>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f2a0cab9f444422189805f995d11c2dd.1