

Prepared for:
PET RELIEF

8100 SOUTH PARK WAY A3
LITTLETON, CO USA 80120

PR PB Banana M/L Breed

Batch ID or Lot Number: Lot: 149767	Test: Potency	Reported: 21Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000256297	Started: 19Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.101	0.388	<LOQ	<LOQ	# of Servings = 1, Sample Weight=7.892g
Cannabichromenic Acid (CBCA)	0.093	0.355	ND	ND	
Cannabidiol (CBD)	0.367	1.134	7.110	0.90	
Cannabidiolic Acid (CBDA)	0.376	1.163	ND	ND	
Cannabidivarin (CBDV)	0.087	0.268	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.157	0.485	ND	ND	
Cannabigerol (CBG)	0.058	0.220	ND	ND	
Cannabigerolic Acid (CBGA)	0.241	0.921	ND	ND	
Cannabinol (CBN)	0.075	0.287	ND	ND	
Cannabinolic Acid (CBNA)	0.164	0.628	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.287	1.097	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.260	0.997	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.231	0.883	ND	ND	
Tetrahydrocannabivarin (THCV)	0.052	0.200	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.204	0.779	ND	ND	
Total Cannabinoids			7.110	0.90	
Total Potential THC			ND	ND	
Total Potential CBD			7.110	0.90	

Approved: Paul Gennings QC 09-21-23

Final Approval



Karen Winternheimer
21Sep2023
10:08:00 AM MDT

PREPARED BY / DATE



Sam Smith
21Sep2023
10:09:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c302bdcd-8909-4e79-8331-e95bc7dff498>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
c302bdcd89094e798331e95bc7dff498.1