

Prepared for:
PET RELIEF

8100 SOUTHPARK WAY A3
LITTLETON, CO USA 80120

PR Wh PB Banana M/L Breed

Batch ID or Lot Number: Lot: 152391	Test: Potency	Reported: 16Nov2023	USDA License: N/A
Matrix: Unit	Test ID: T000261770	Started: 14Nov2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Nov2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.150	0.490	<LOQ	<LOQ	# of Servings = 1, Sample Weight=8.039g
Cannabichromenic Acid (CBCA)	0.137	0.448	ND	ND	
Cannabidiol (CBD)	0.420	1.078	7.570	0.90	
Cannabidiolic Acid (CBDA)	0.430	1.105	ND	ND	
Cannabidivarin (CBDV)	0.099	0.255	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.180	0.461	ND	ND	
Cannabigerol (CBG)	0.085	0.278	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.355	1.164	ND	ND	
Cannabinol (CBN)	0.111	0.363	ND	ND	
Cannabinolic Acid (CBNA)	0.242	0.794	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.423	1.386	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.384	1.259	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.340	1.115	ND	ND	
Tetrahydrocannabivarin (THCV)	0.077	0.253	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.300	0.984	ND	ND	
Total Cannabinoids			7.570	0.90	
Total Potential THC			ND	ND	
Total Potential CBD			7.570	0.90	

Approved: Paul Gennings QC 11-16-23

Final Approval



Karen Winternheimer
16Nov2023
01:29:00 PM MST

PREPARED BY / DATE



Sam Smith
16Nov2023
01:31:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/8b119a76-1594-4ac2-a05c-78f16d854551>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
8b119a7615944ac2a05c78f16d854551.1